

# RIELLO dujiniai degikliai su dujų rampa




Kainynas GK-RIEL-16-10


2016.10.24

Paveikslas	Kodas	Degiklio modelis/dujų rampa	Parametrai/kam skirta	KAINA, Eur	
				be PVM	su PVM 21%


## VIENOS PAKOPOS BS SERIJA

	<b>Gulliver BS 1, 16-52 kW</b>		<b>Galvos ilgis 70-116 mm</b>		
	3761158570	MBC 65, 1/2"		810,74	981,00
	3761158546	MBD 405 G, 1/2"		895,87	1084,00
	<b>Gulliver BS 2, 35-91 kW</b>		<b>Galvos ilgis 100-114 mm</b>		
	3761258547	MBD 405 G, 1/2"		980,99	1187,00
	3761258544	MBD 407 G, 3/4"		1092,56	1322,00
	<b>Gulliver BS 3, 65-200 kW</b>		<b>Galvos ilgis 110-128 mm</b>		
	3761358548	MBD 407 G, 3/4"		1237,19	1497,00
	3761358549	MBD 410 G, 1"		1305,79	1580,00
	3761358550	MBD 412 G, 1 1/4"		1348,76	1632,00
	<b>Gulliver BS 4, 110-250 kW</b>		<b>Galvos ilgis 145-168 mm</b>		
	3761458548	MBD 407 G, 3/4"		1301,65	1575,00
3761458549	MBD 410 G, 1"		1352,89	1637,00	
3761458550	MBD 412 G, 1 1/4"		1390,91	1683,00	


## DVIEJŲ PAKOPOŲ BS D SERIJA


	<b>Gulliver BS 2 D, 35/40-91 kW</b>		<b>Galvos ilgis 100-114 mm</b>		
	3761658540	MBD/2 405 G, 1/2"		1343,80	1626,00
	3761658538	MBD/2 407 G, 3/4"		1439,67	1742,00
	<b>Gulliver BS 3 D, 65/80-200 kW</b>		<b>Galvos ilgis 110-128 mm</b>		
	3761758541	MBD/2 407 G, 3/4"		1516,53	1835,00
	3761758542	MBD/2 410 G, 1"		1564,46	1893,00
	3761758543	MBD/2 412 G, 1 1/4"		1642,15	1987,00
	<b>Gulliver BS 4 D, 110/140-250 kW</b>		<b>Galvos ilgis 145-168 mm</b>		
	3761858541	MBD/2 407 G, 3/4"		1612,40	1951,00
	3761858542	MBD/2 410 G, 1"		1699,17	2056,00
	3761858543	MBD/2 412 G, 1 1/4"		1776,03	2149,00

## MODULIACINIAI BS/M SERIJA

	<b>Gulliver BS 1/M, 16/19-52 kW</b>		<b>Galvos ilgis 70-116 mm</b>		
	20096670587	CG 120, 3/4"		1533,88	1856,00
	<b>Gulliver BS 2/M, 26/49-91 kW</b>		<b>Galvos ilgis 100-114 mm</b>		
	3762250587	CG 120, 3/4"		1632,23	1975,00
	<b>Gulliver BS 3/M, 48/79-195 kW</b>		<b>Galvos ilgis 110-128 mm</b>		
	3762350588	CG 220, 1 1/4"		1842,98	2230,00
	<b>Gulliver BS 4/M, 68/140-250 kW</b>		<b>Galvos ilgis 145-168 mm</b>		
	3762450588	CG 220, 1 1/4"		1943,80	2352,00

### Galvos prailginimas


	20031875	Galvos prailg., 70-160 mm	BS 1	209,09	253,00
	3001008	Galvos prailg., 270-280 mm	BS 2, BS 2 D	209,09	253,00
	3001009	Galvos prailg., 267-282 mm	BS 3, BS 3 D	209,09	253,00
	3001016	Galvos prailg., 302-317 mm	BS 4, BS 4 D	209,09	253,00

Paveikslas	Kodas	Degiklio modelis/dujų rampa	Parametrai/kam skirta	KAINA, Eur	
				be PVM	su PVM 21%
	20097850	Galvos prailg., 114-160 mm	BS 1/M	209,09	253,00
	3002723	Galvos prailg., 270-280 mm	BS 2/M	209,09	253,00
	3002724	Galvos prailg., 267-282 mm	BS 3/M	209,09	253,00
	3002725	Galvos prailg., 302-317 mm	BS 4/M	209,09	253,00


#### Antivibracinė jungtis

VGA1558	Antivibracinė jungtis, 1/2"	BS 1-2, BS 2 D	35,54	43,00
VGA1544	Antivibracinė jungtis, 3/4"	BS 2-4, BS 2-4 D, BS 2/M	35,54	43,00
VGA1545	Antivibracinė jungtis, 1"	BS 3-4, BS 3-4 D	45,45	55,00
VGA1546	Antivibracinė jungtis, 1 1/4"	BS 3-4, BS 3-4 D, BS 3-4/M	56,20	68,00

#### Suskystintųjų dujų komplektas

	3001003	LPG kit	BS 1	56,20	68,00
	3001004	LPG kit	BS 2, BS 2 D	56,20	68,00
	3001005	LPG kit	BS 3, BS 3 D	82,64	100,00
	3001011	LPG kit	BS 4, BS 4 D, BS 4/M	82,64	100,00
	3002711	LPG kit	BS 2/M	56,20	68,00
	3002712	LPG kit	BS 3/M	82,64	100,00



#### Moduliacijos valdiklis

	20102002	RWF 50.2	BS/M...	784,30	949,00
--	----------	----------	---------	--------	--------

#### Vandens temperatūros daviklis

	3010110	-100 ÷ +500 °C	BS/M...	156,20	189,00
---	---------	----------------	---------	--------	--------

#### DVIEJŲ PAKOPIŲ PROGRESINIAI RS 34 - 64 SERIJA


	<b>RS 34 MZ TC, 45/125-390 kW</b>		<b>Galvos ilgis 216 mm</b>		
	3789010553	MBD 407, 3/4"		1843,80	2231,00
	3789010554	MBD 410, 1"		1858,68	2249,00
	3789010144	MBD 412, 1 1/4"		1879,34	2274,00
	3789010180	MBD 415, 1 1/2"		1933,06	2339,00
	3789010181	MBD 420, 2"		2114,05	2558,00
	<b>RS 44 MZ TC, 80/203-550 kW</b>		<b>Galvos ilgis 216 mm</b>		
	3789110553	MBD 407, 3/4"		2069,42	2504,00
	3789110554	MBD 410, 1"		2119,01	2564,00
	3789110144	MBD 412, 1 1/4"		2147,93	2599,00
3789110180	MBD 415, 1 1/2"		2247,11	2719,00	
3789110181	MBD 420, 2"		2380,17	2880,00	
	<b>RS 50 TC, 116/290-581 kW</b>		<b>Galvos ilgis 216 mm</b>		
	3784702553	MBD 407, 3/4"		2503,31	3029,00
	3784702554	MBD 410, 1"		2657,02	3215,00
	3784702144	MBD 412, 1 1/4"		2749,59	3327,00
	3784702180	MBD 415, 1 1/2"		2880,17	3485,00
	3784702181	MBD 420, 2"		3065,29	3709,00
	3784702221	MBC 1200, 2"		4559,50	5517,00
<b>RS 64 MZ TC, 150/400-850 kW</b>		<b>Galvos ilgis 250 mm</b>			
3789310144	MBD 412, 1 1/4"		3511,57	4249,00	
3789310180	MBD 415, 1 1/2"		3635,54	4399,00	
3789310181	MBD 420, 2"		3719,83	4501,00	
3789310221	MBC 1200, 2"		4943,80	5982,00	
3789310222	MBC 1900, DN65		5868,60	7101,00	

#### Dujų vožtuvų sandarumo kontrolė


	3010123	VPS 504	RS 34 - RS 64	646,28	782,00
--	---------	---------	---------------	--------	--------

Paveikslas	Kodas	Degiklio modelis/dujų rampa	Parametrai/kam skirta	KAINA, Eur	
				be PVM	su PVM 21%


### Galvos prailginimas

	3010428	Galvos prailg., 351 mm	RS 34 TC	212,40	257,00
	3010429	Galvos prailg., 351 mm	RS 44 TC	212,40	257,00
	3010078	Galvos prailg., 351 mm	RS 50 TC	235,54	285,00
	3010427	Galvos prailg., 385 mm	RS 64 TC	235,54	285,00


### Antivibracinė jungtis

	VGA1544	Antivibracinė jungtis, 3/4"	RS 34 - RS 64	35,54	43,00
	VGA1545	Antivibracinė jungtis, 1"	RS 34 - RS 64	45,45	55,00
	VGA1546	Antivibracinė jungtis, 1 1/4"	RS 34 - RS 64	56,20	68,00
	VGA1547	Antivibracinė jungtis, 1 1/2"	RS 34 - RS 64	69,42	84,00
	VGA1548	Antivibracinė jungtis, 2"	RS 34 - RS 64	80,99	98,00

### Suskystintųjų dujų komplektas


	3010423	LPG kit	RS 34 TC	142,98	173,00
	3010424	LPG kit	RS 44 TC	142,98	173,00
	20008173	LPG kit	RS 50 TC	142,98	173,00
	3010434	LPG kit	RS 64 TC	142,98	173,00

### DVIEJŲ PAKOPŲ PROGRESINIAI RS 70 - 190 SERIJA

	<b>RS 70 TC, 192/465-814 kW</b>		<b>Galvos ilgis 250 mm</b>			
	3785102144	MBD 412, 1 1/4"		3686,78	4461,00	
	3785102180	MBD 415, 1 1/2"		3859,50	4670,00	
	3785102181	MBD 420, 2"		4111,57	4975,00	
	3785102221	MBC 1200, 2"		5051,24	6112,00	
	3785102222	MBC 1900, DN65		5736,36	6941,00	
	3785102197	MBD 412 CT, 1 1/4"		3845,45	4653,00	
	3785102198	MBD 415 CT, 1 1/2"		3989,26	4827,00	
	3785102182	MBD 420 CT, 2"		4247,93	5140,00	
	3785102225	MBC 1200 CT, 2"		5219,01	6315,00	
	3785102226	MBC 1900 CT, DN65		5891,74	7129,00	
	<b>RS 100 TC, 232/698-1163 kW</b>		<b>Galvos ilgis 250 mm</b>			
	3785302180	MBD 415, 1 1/2"		3893,39	4711,00	
	3785302181	MBD 420, 2"		4238,84	5129,00	
	3785302221	MBC 1200, 2"		5105,79	6178,00	
3785302222	MBC 1900, DN65		5951,24	7201,00		
3785302198	MBD 415 CT, 1 1/2"		4036,36	4884,00		
3785302182	MBD 420 CT, 2"		4309,92	5215,00		
3785302225	MBC 1200 CT, 2"		5301,65	6415,00		
3785302226	MBC 1900 CT, DN65		6097,52	7378,00		
<b>RS 130 TC, 372/930-1512 kW</b>		<b>Galvos ilgis 280 mm</b>				
3785502198	MBD 415 CT, 1 1/2"		4943,80	5982,00		
3785502182	MBD 420 CT, 2"		5134,71	6213,00		
3785502225	MBC 1200 CT, 2"		6230,58	7539,00		
3785502226	MBC 1900 CT, DN65		6936,36	8393,00		
3785502227	MBC 3100 CT, DN80		8276,86	10015,00		
<b>RS 150 TC, 300/900-1850 kW</b>		<b>Galvos ilgis 280 mm</b>				
20044636198	MBD 415 CT, 1 1/2"		5191,74	6282,00		
20044636182	MBD 420 CT, 2"		5508,26	6665,00		
20044636225	MBC 1200 CT, 2"		6588,43	7972,00		
20044636226	MBC 1900 CT, DN65		7740,50	9366,00		
20044636227	MBC 3100 CT, DN80		8842,98	10700,00		

Paveikslas	Kodas	Degiklio modelis/dujų rampa	Parametrai/kam skirta	KAINA, Eur	
				be PVM	su PVM 21%
	<b>RS 190 TC, 470/1279-2290 kW</b>		<b>Galvos ilgis 372 mm</b>		
	3785813182	MBD 420 CT, 2"		5649,59	6836,00
	3785813225	MBC 1200 CT, 2"		7007,44	8479,00
	3785813226	MBC 1900 CT, DN65		8204,13	9927,00
	3785813227	MBC 3100 CT, DN80		9286,78	11237,00


#### Galvos prailginimas

	3010117	Galvos prailg., 385 mm	RS 70 TC	263,64	319,00
	3010118	Galvos prailg., 385 mm	RS 100 TC	263,64	319,00
	3010119	Galvos prailg., 415 mm	RS 130 TC	263,64	319,00
	20052186	Galvos prailg., 415 mm	RS 150 TC	263,64	319,00
	3010443	Galvos prailg., 530 mm	RS 190 TC	690,08	835,00


#### Antivibracinė jungtis

	VGA1546	Antivibracinė jungtis, 1 1/4"	RS 70 - RS 100	56,20	68,00
	VGA1547	Antivibracinė jungtis, 1 1/2"	RS 70 - RS 130	69,42	84,00
	VGA1548	Antivibracinė jungtis, 2"	RS 70 - RS 190	80,99	98,00
	VGAF212	Antivibracinė jungtis, DN 65	RS 70 - RS 190	179,34	217,00
	VGAF300	Antivibracinė jungtis, DN 80	RS 70 - RS 190	210,74	255,00

#### Suskystintųjų dujų komplektas

	20008175	LPG kit	RS 70 TC	191,74	232,00
	20008177	LPG kit	RS 100 TC	191,74	232,00
	20008189	LPG kit	RS 130 TC	191,74	232,00
	20050064	LPG kit	RS 150 TC	191,74	232,00
	3010166	LPG kit	RS 190 TC	191,74	232,00

#### MODULIACINIAI RS/M 34 - 64 SERIJA


	<b>RS 34/M MZ TC, 45/125-390 kW</b>		<b>Galvos ilgis 216 mm</b>			
	3788710553	MBD 407, 3/4"		2130,58	2578,00	
	3788710554	MBD 410, 1"		2147,11	2598,00	
	3788710144	MBD 412, 1 1/4"		2171,90	2628,00	
	3788710180	MBD 415, 1 1/2"		2233,06	2702,00	
	3788710181	MBD 420, 2"		2442,98	2956,00	
	<b>RS 44/M MZ TC, 80/203-550 kW</b>		<b>Galvos ilgis 216 mm</b>			
	3788810553	MBD 407, 3/4"		2390,91	2893,00	
	3788810554	MBD 410, 1"		2447,93	2962,00	
	3788810144	MBD 412, 1 1/4"		2481,82	3003,00	
	3788810180	MBD 415, 1 1/2"		2596,69	3142,00	
	3788810181	MBD 420, 2"		2750,41	3328,00	
	<b>RS 50/M TC, 80/285-630 kW</b>		<b>Galvos ilgis 216 mm</b>			
	3781622553	MBD 407, 3/4"		2891,74	3499,00	
	3781622554	MBD 410, 1"		3069,42	3714,00	
3781622144	MBD 412, 1 1/4"		3176,86	3844,00		
3781622180	MBD 415, 1 1/2"		3327,27	4026,00		
3781622181	MBD 420, 2"		3541,32	4285,00		
3781622221	MBC 1200, 2"		5267,77	6374,00		
<b>RS 64/M MZ TC, 150/400-850 kW</b>		<b>Galvos ilgis 250 mm</b>				
3788910144	MBD 412, 1 1/4"		4057,02	4909,00		
3788910180	MBD 415, 1 1/2"		4200,00	5082,00		
3788910181	MBD 420, 2"		4297,52	5200,00		
3788910221	MBC 1200, 2"		5712,40	6912,00		
3788910222	MBC 1900, DN65		6780,17	8204,00		

Paveikslas	Kodas	Degiklio modelis/dujų rampa	Parametrai/kam skirta	KAINA, Eur	
				be PVM	su PVM 21%


### Dujų vožtuvų sandarumo kontrolė

	3010123	VPS 504	RS 34/M - RS 64/M	646,28	782,00
--	---------	---------	-------------------	--------	--------


### Galvos prailginimas

	3010428	Galvos prailg., 351 mm	RS 34/M TC	212,40	257,00
	3010429	Galvos prailg., 351 mm	RS 44/M TC	212,40	257,00
	3010078	Galvos prailg., 351 mm	RS 50/M TC	235,54	285,00
	3010427	Galvos prailg., 385 mm	RS 64/M TC	235,54	285,00


### Antivibracinė jungtis

	VGA1544	Antivibracinė jungtis, 3/4"	RS 34/M - RS 64/M	35,54	43,00
	VGA1545	Antivibracinė jungtis, 1"	RS 34/M - RS 64/M	45,45	55,00
	VGA1546	Antivibracinė jungtis, 1 1/4"	RS 34/M - RS 64/M	56,20	68,00
	VGA1547	Antivibracinė jungtis, 1 1/2"	RS 34/M - RS 64/M	69,42	84,00
	VGA1548	Antivibracinė jungtis, 2"	RS 34/M - RS 64/M	80,99	98,00

### Suskystintųjų dujų komplektas

	3010423	LPG kit	RS 34/M TC	142,98	173,00
	3010424	LPG kit	RS 44/M TC	142,98	173,00
	20008173	LPG kit	RS 50/M TC	142,98	173,00
	3010434	LPG kit	RS 64/M TC	142,98	173,00


### Moduliacijos valdiklis

	20083339	RWF 50.2	RS 34/M - RS 44/M	784,30	949,00
	20082208	RWF 50.2	RS 50/M - RS 64/M	784,30	949,00

### Vandens temperatūros daviklis

	3010110	-100 ÷ +500 °C	RS 34/M - RS 64/M	156,20	189,00
---	---------	----------------	-------------------	--------	--------


## MODULIACINIAI RS/M 70 - 250 SERIJA

	RS 70/M TC, 150/470-930 kW		Galvos ilgis 250 mm		
	3789610144	MBD 412, 1 1/4"		4259,50	5154,00
	3789610180	MBD 415, 1 1/2"		4458,68	5395,00
	3789610181	MBD 420, 2"		4750,41	5748,00
	3789610221	MBC 1200, 2"		5835,54	7061,00
	3789610222	MBC 1900, DN65		6627,27	8019,00
	3789610197	MBD 412 CT, 1 1/4"		4442,15	5375,00
	3789610198	MBD 415 CT, 1 1/2"		4609,09	5577,00
	3789610182	MBD 420 CT, 2"		4909,09	5940,00
	3789610225	MBC 1200 CT, 2"		6030,58	7297,00
3789610226	MBC 1900 CT, DN65		6808,26	8238,00	
RS 100/M TC, 150/700-1340 kW		Galvos ilgis 250 mm			
3789710180	MBD 415, 1 1/2"		4498,35	5443,00	
3789710181	MBD 420, 2"		4897,52	5926,00	
3789710221	MBC 1200, 2"		5900,00	7139,00	
3789710222	MBC 1900, DN65		6875,21	8319,00	
3789710198	MBD 415 CT, 1 1/2"		4662,81	5642,00	
3789710182	MBD 420 CT, 2"		4979,34	6025,00	
3789710225	MBC 1200 CT, 2"		6125,62	7412,00	
3789710226	MBC 1900 CT, DN65		7044,63	8524,00	



Paveikslas	Kodas	Degiklio modelis/dujų rampa	Parametrai/kam skirta	KAINA, Eur	
				be PVM	su PVM 21%
	<b>RS 130/M TC, 240/920-1600 kW</b>		<b>Galvos ilgis 280 mm</b>		
	3789810198	MBD 415 CT, 1 1/2"		5711,57	6911,00
	3789810182	MBD 420 CT, 2"		5932,23	7178,00
	3789810225	MBC 1200 CT, 2"		7199,17	8711,00
	3789810226	MBC 1900 CT, DN65		8013,22	9696,00
	3789810227	MBC 3100 CT, DN80		9562,81	11571,00
	<b>RS 150/M TC, 300/900-1850 kW</b>		<b>Galvos ilgis 280 mm</b>		
	20044638198	MBD 415 CT, 1 1/2"		5997,52	7257,00
	20044638182	MBD 420 CT, 2"		6363,64	7700,00
	20044638225	MBC 1200 CT, 2"		7612,40	9211,00
	20044638226	MBC 1900 CT, DN65		8942,98	10821,00
	20044638227	MBC 3100 CT, DN80		10215,70	12361,00
	<b>RS 190/M TC, 470/1279-2290 kW</b>		<b>Galvos ilgis 372 mm</b>		
	3787623182	MBD 420 CT, 2"		6527,27	7898,00
	3787623225	MBC 1200 CT, 2"		8095,04	9795,00
	3787623226	MBC 1900 CT, DN65		9478,51	11469,00
	3787623227	MBC 3100 CT, DN80		10729,75	12983,00
	<b>RS 250/M TC, 600/1250-2650 kW</b>		<b>Galvos ilgis 370 mm</b>		
	3788410182	MBD 420 CT, 2"		7073,55	8559,00
	3788410225	MBC 1200 CT, 2"		8419,01	10187,00
	3788410226	MBC 1900 CT, DN65		9716,53	11757,00
	3788410227	MBC 3100 CT, DN80		10989,26	13297,00


#### Galvos prailginimas

	3010117	Galvos prailg., 385 mm	RS 70/M TC	263,64	319,00
	3010118	Galvos prailg., 385 mm	RS 100/M TC	263,64	319,00
	3010119	Galvos prailg., 415 mm	RS 130/M TC	263,64	319,00
	20052186	Galvos prailg., 415 mm	RS 150/M TC	263,64	319,00
	3010443	Galvos prailg., 530 mm	RS 190/M TC	690,08	835,00
	3010442	Galvos prailg., 520 mm	RS 250/M TC	690,08	835,00

#### Antivibracinė jungtis

	VGA1546	Antivibracinė jungtis, 1 1/4"	RS 70/M - RS 100/M	56,20	68,00
	VGA1547	Antivibracinė jungtis, 1 1/2"	RS 70/M - RS 130/M	69,42	84,00
	VGA1548	Antivibracinė jungtis, 2"	RS 70/M - RS 250/M	80,99	98,00
	VGAF212	Antivibracinė jungtis, DN 65	RS 70/M - RS 250/M	179,34	217,00
	VGAF300	Antivibracinė jungtis, DN 80	RS 70/M - RS 250/M	210,74	255,00

#### Suskystintųjų dujų komplektas

	20008175	LPG kit	RS 70/M TC	191,74	232,00
	20008177	LPG kit	RS 100/M TC	191,74	232,00
	20008179	LPG kit	RS 130/M TC	191,74	232,00
	20050064	LPG kit	RS 150/M TC	191,74	232,00
	3010166	LPG kit	RS 190/M TC	191,74	232,00
	3010411	LPG kit	RS 250/M TC	191,74	232,00

UAB "Gilius ir Ko"  
Savanorių pr. 192  
LT-44151 Kaunas  
Tel.:(37) 308930  
Faks.:(37) 308932

UAB "Gilius ir Ko" prekybos  
salonas Vilniuje, Elektrinės g. 8  
LT-03150 Vilnius-9  
Tel.:(5) 2395385  
Faks.:(5) 2375082

UAB "Gilius ir Ko" prekybos  
salonas Klaipėdoje, Liepų g. 64 b  
LT-92101 Klaipėda  
Tel.:(46) 412277  
Faks.:(46) 314083  
el. paštas: GiliusL@takas.lt

[www.gilius.lt](http://www.gilius.lt)